

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: MSpencer

Timestamp: Mon May 07 11:45:06 EDT 2007

=====

Application No: 10568134

Version No: 1.0

Input Set:

Output Set:

Started:	2007-04-20 11:57:00.885
Finished:	2007-04-20 11:57:01.586
Elapsed:	0 hr(s) 0 min(s) 0 sec(s) 701 ms
Total Warnings:	24
Total Errors:	0
No. of SeqIDs Defined:	24
Actual SeqID Count:	24

ErrCode Error Description

W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> Sirna Therapeutics, Inc.
Radka, Susan
Zinnen, Shawn
Jadhati, Vasant
McSwiggen, James
Vaish, Narendra

<120> Detection and Quantitation of Nucleic Acid Molecules in Biological Samples

<130> 700/020 (MBHB03-770-B)

<140> 10568134
<141> 2007-05-07

<150> PCT/US 04/026857
<151> 2004-08-17

<150> US 60/497,222
<151> 2003-08-22

<150> US 60/543,784
<151> 2004-02-11

<160> 24

<170> PatentIn version 3.3

<210> 1
<211> 21
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA sense region

<220>

<221> misc_feature
<222> (1)..(1)
<223> 5'-3' attached terminal deoxyabasic moiety

<220>

<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

```
<222>  (5)..(5)
<223>  2'-deoxy-2'-fluoro

<220>
<221>  misc_feature
<222>  (7)..(10)
<223>  2'-deoxy-2'-fluoro

<220>
<221>  misc_feature
<222>  (12)..(15)
<223>  2'-deoxy-2'-fluoro

<220>
<221>  misc_feature
<222>  (17)..(19)
<223>  2'-deoxy-2'-fluoro

<220>
<221>  misc_feature
<222>  (1)..(19)
<223>  ribonucleotide modified as described

<220>
<221>  misc_feature
<222>  (21)..(21)
<223>  3'-3' attached terminal deoxyabasic moiety
```

<400> 1
ugugcacuuc gcuucaccut t 21

```
<210>  2
<211>  23
<212>  DNA
<213>  Artificial Sequence

<220>
<223>  Description of Artificial Sequence: Chol-7/siNA sense region
```

```
<220>
<221>  misc_feature
<222>  (1)..(1)
<223>  5'bifunctional cholesterol conjugate
```

```
<220>
<221>  misc_feature
<222>  (3)..(3)
<223>  inverted deoxyabasic moiety
```

```
<220>
<221>  misc_feature
<222>  (3)..(3)
<223>  2'-deoxy-2'-fluoro
```

```

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(21)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(21)
<223> ribonucleotide modified as described

<220>
<221> misc_feature
<222> (23)..(23)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 2
taugugcacu ucgcuucacc utt

```

23

```

<210> 3
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Chol-trigal 7/siNA sense
      region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'bifunctional cholesterol conjugate

<220>
<221> misc_feature
<222> (3)..(3)
<223> inverted deoxyabasic moiety

```

```
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(21)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (23)..(23)
<223> 3' inverted deoxyabasic moiety

<220>
<221> misc_feature
<222> (24)..(24)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(21)
<223> ribonucleotide modified as described

<220>
<221> misc_feature
<222> (24)..(24)
<223> ribonucleotide modified as described

<220>
<221> misc_feature
<222> (25)..(25)
<223> 3' tri-N-acetyl galactosamine conjugate
```

<220>
<221> misc_feature
<222> (25)..(25)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 3
taugugcacu ucgcuucacc uttat 25

<210> 4
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(8)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

```
<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
```

<400> 4
aggugaagcg aagugcacat t

21

```
<210> 5
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Biotinyl capture oligo/siNA
sense region
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Biotin

<220>
<221> misc_feature
<222> (1)..(10)
<223> 2'-O-methyl
```

<400> 5
aggugaagcg

10

```
<210> 6
<211> 10
```

<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Biotinyl capture oligo/siNA
antisense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Biotin

<220>
<221> misc_feature
<222> (1)..(10)
<223> 2'-O-methyl

<400> 6
ugugcacuuc 10

<210> 7
<211> 11
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: FITC labeled reporter
oligo/siNA sense region

<220>
<221> misc_feature
<222> (1)..(11)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(11)
<223> 3' attached terminal Fluorescein

<400> 7
aagugcacau u 11

<210> 8
<211> 11
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: FITC labeled reporter
oligo/siNA antisense region

<220>

```
<221> misc_feature
<222> (1)..(11)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (11)..(11)
<223> 3' attached terminal Fluorescein

<400> 8
gcuucaccuu u                                11

<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(9)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(18)
<223> ribonucleotide modified as described

<220>
<221> misc_feature
<222> (20)..(20)
<223> 3'-3 attached terminal deoxyabasic moiety
```

<400> 9
gugcacuucg cuucaccutt

20

<210> 10
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (5)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(13)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (15)..(17)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(17)
<223> ribonucleotide modified as described

<220>
<221> misc_feature
<222> (19)..(19)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 10
ugcacuucgc uucaccutt

19

<210> 11
<211> 17
<212> DNA

```
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (3)..(6)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(15)
<223> ribonucleotide modified as described

<220>
<221> misc_feature
<222> (17)..(17)
<223> 3'-3 attached terminal deoxyabasic moiety

<400> 11
cacuucgcuu caccutt
```

17

```
<210> 12
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
```

```
<222> (4)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(11)
<223> ribonucleotide modified as described
```

```
<220>
<221> misc_feature
<222> (13)..(13)
<223> 3'-3' attached terminal deoxyabasic moiety
```

```
<400> 12
ucgcuucacc utt
```

13

```
<210> 13
<211> 20
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: siNA antisense region
```

```
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro
```

<220>
<221> misc_feature
<222> (19)..(19)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (1)..(18)
<223> ribonucleotide modified as described

<400> 13
ggugaagcga agugcacatt

20

<210> 14
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (18)..(18)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (1)..(17)

<223> ribonucleotide modified as described

<400> 14

gugaagcgaa gugcacatt

19

<210> 15

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>

<221> misc_feature

<222> (5)..(5)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (10)..(10)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (12)..(12)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (14)..(14)

<223> 2'-deoxy-2'-fluoro

<220>

<221> misc_feature

<222> (16)..(16)

<223> Phosphorothioate 3'-Internucleotide Linkage

<220>

<221> misc_feature

<222> (1)..(17)

<223> ribonucleotide modified as described

<400> 15

gaagcgaagu gcacatt

17

<210> 16

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (14)..(14)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (1)..(13)
<223> ribonucleotide modified as described

<400> 16

agcgaagugc acatt

15

<210> 17
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA sense region

<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety

<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (7)..(10)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (12)..(15)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy

<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described

<220>

```
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety
```

```
<400> 17
ugugcacuuc gcuucaccut t
```

21

```
<210> 18
<211> 21
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: siNA antisense region
```

```
<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methyl
```

```
<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2'-O-methyl
```

```
<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (10)..(13)
<223> 2'-O-methyl
```

```
<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-O-methyl
```

```
<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage
```

```
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
```

```
<400> 18
aggugaagcg aagugcacat t
```

21

```
<210> 19
<211> 21
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: siNA sense region
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moiety
```

```
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
```

```
<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moiety
```

```
<400> 19
cugaguuuaa aaggcacccct t
```

21

<210> 20
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: siNA antisense region

<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described

<400> 20
gggugccuuu uaaacucagt t 21

<210> 21
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Capture probe/siNA sense region

<220>
<221> misc_feature
<222> (1)..(13)
<223> 2'-O-methyl

<220>
<221> misc_feature
<222> (13)..(13)
<223> 3' attached terminal Biotin

<400> 21
cuuuuaaacu cag 13

<210> 22
<211> 9
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Reporter probe/siNA sense region

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Fluorescein
```

```
<220>
<221> misc_feature
<222> (1)..(9)
<223> 2'-O-methyl
```

```
<400> 22
aaggugucc
```

9

```
<210> 23
<211> 14
<212> RNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Capture probe/siNA antisense
region
```

```
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Biotin
```

```
<220>
<221> misc_feature
<222> (1)..(14)
<223> 2'-O-methyl
```

```
<400> 23
uacugaguuu aaaa
```

14

```
<210> 24
<211> 8
<212> RNA
<213> Artificial Sequence
```

```
<220>
<223> Description of Artificial Sequence: Reporter probe/siNA
antisense region
```

```
<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-methyl
```

```
<220>
<221> misc_feature
```

<222> (8)...(8)

<223> 3' attached terminal Fluorescein

<400> 24

ggcacccca